# Wuxi Shengquan Metal Products Co., Ltd. metalsstainless-steel.com

# 200 Series 201SS Stainless Steel Metal Tube Pipe Welded Rectangular 2500mm

#### **Basic Information**

• Place of Origin: china

Brand Name: ShengQuanCertification: ISO9001:2000

• Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90

• Minimum Order Quantity: 1ton

• Price: USD1500-USD6000

Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms:
 L/C, T/T, Western Union

Supply Ability: 15000Tons



## **Product Specification**

Application: Construction, Kitchenware, Decoration, chemical Construction, Constr

• Width: Or As Required

Type: Plate, Coil, stainless Steel Sheet

Standard: ASTM,JIS,AISI,EN,GBLength: Customer's Request

Product Name: ASTM JIS SUS 201 202 301 304 304I 316

316l 310Stainless Steel Sheet

• Thickness: 0.3mm-120mm,0.18-1.5mm,0.2-60mm,0.45-

5mm,0.01-200mm

• Certification: ISO,SGS,Other

• Highlight: 201SS Stainless Steel Metal Tube,

2500mm Stainless Steel Metal Tube, 201SS stainless steel welded tube



### 300 Series 316Stainless Steel Pipe Welded Tubes SS Square Rectangular 2500mm

Grade 316, like all steel alloys, is mostly made of iron. Carbon is a significant metallic addition in steel manufacture, while chromium is required in levels of 10% or more to create steel stainless. However, the molybdenum content in grade 316 permits it to outperform several other alloys in terms of corrosion resistance. 316H, 316L, and 316Ti are popular 316H, 316L, and 316Ti varieties, all of which are available in completed products and tube stock shapes.

Although low carbon versions, grade 316L, have greater weldability, high carbon variants, grade 316H, perform better at high temperatures, as does 316Ti, which contains up to 0.5 percent Titanium.

| Chemical Properties of Frequently-used Stainless Steel Material Grade |             |            |                    |               |              |  |           |           |                |               |             |
|---|-------------|------------|--------------------|---------------|--------------|--|-----------|-----------|----------------|---------------|-------------|
| UNS   | ASTM        |            | JIS                | C%            | Mn%          | P%   | S%        | Si<br>%   | Cr%            | Ni%           | Mo<br>%     |
| S201<br>00  | 201         | 1.437<br>2 | SUS20<br>1         | ≤0.15         | 5.5-<br>7.5  | ≤0.0<br>6  |           | ≤1.<br>00 | 16.0-<br>18.0  | 3.5-<br>5.5   | -           |
| S202<br>00  | 202         | 1.437<br>3 | SUS20<br>2         | ≤0.15         | 7.5-<br>10.0 | ≤0.0<br>6  |           | ≤1.<br>00 | 17.0-<br>19.0  | 4.0-<br>6.0   | -           |
| S301<br>00  | 301         | 1.431<br>9 | SUS30<br>1         | ≤0.15         | ≤2.00        | ≤0.0<br>45   |           | ≤1.<br>00 | 16.0-<br>18.0  | 6.0-<br>8.0   | -           |
| S304<br>00  | 304         | 1.430<br>1 | SUS30<br>4         | ≤0.08         | ≤2.00        | ≤0.0<br>45   |           | ≤0.<br>75 | 18.0-<br>20.0  | 8.0-<br>10.5  | -           |
| S304<br>03  | 304L        | 1.430<br>6 | SUS30<br>4L        | ≤0.03         | ≤2.00        |  |           |           | 18.0-<br>20.0  | 8.0-<br>12.0  | -           |
| S309<br>08  | 309S        | 1.483<br>3 | SUS30<br>9S        | ≤0.08         | ≤2.00        |  |           | l         | 22.0-<br>24.0  | 12.0-<br>15.0 | -           |
| S310<br>08  | 310S        |            | SUS31<br>0S        | ≤0.08         | ≤2.00        |  | ≤0.       | ≤1.       | 24.0-<br>26.0  | 19.0-<br>22.0 | -           |
| S316<br>00  | 316         | l          | SUS31<br>6         | ≤0.08         | ≤2.00        | ≤0.0<br>45   | ≤0.       |           | 16.0-<br>18.0  | 10.0-<br>14.0 | 2.0-<br>3.0 |
| S316<br>03  | 316L        | 1.440<br>4 | SUS31<br>6L        | ≤0.03         | ≤2.00        |  |           | ≤0.<br>75 | 16.0-<br>18.0  | 10.0-<br>14.0 | 2.0-<br>3.0 |
| S317<br>03  | 317L        | 1.443<br>8 | SUS31<br>7L        | ≤0.03         | ≤2.00        | <n n<="" td=""><td></td><td>≤0.<br/>75</td><td>18.0-<br/>20.0</td><td>11.0-<br/>15.0</td><td>3.0-<br/>4.0</td></n> |           | ≤0.<br>75 | 18.0-<br>20.0  | 11.0-<br>15.0 | 3.0-<br>4.0 |
| S321<br>00  | 321         | 1.454<br>1 | SUS32<br>1         | ≤0.08         | ≤2.00        | ≤0.0<br>45   | ≤0.<br>03 | ≤0.<br>75 | 17.0-<br>19.0  | 9.0-<br>12.0  | -           |
| S347<br>00  | 347         | 1.455<br>0 | SUS34<br>7         | ≤0.08         | ≤2.00        | ≤0.0<br>45   |           | ≤0.<br>75 | 17.0-<br>19.0  | 9.0-<br>13.0  | -           |
| S405<br>00  | 405         | 1.400<br>2 | SUS40<br>5         |               | ≤1.00        |  |           | ≤1.<br>00 | 11.5-<br>14.5  | ≤0.60         | -           |
| S409<br>00  | 409         | 1          | SUS40<br>9         | ≤0.08         | ≤1.00        | ≤0.0<br>45   |           | ≤1.<br>00 | 10.5-<br>11.75 | ≤0.50         | -           |
| S430<br>00  | 430         | ۵          | SUS43<br>0         | ≦0.12         | ≤1.00        | ≤0.0<br>40   | n3        | ≤0.<br>75 | 16.0-<br>18.0  | ≤0.60         | -           |
| S434<br>00  | 434         | 1.411<br>3 | SUS43<br>4         | ≤0.12         | <1.00        | ≤0.0   | ≤0.<br>03 | ≤1.<br>00 | 16.0-<br>18.0  | -             | -           |
| S444<br>00  | 444         | l          | SUS44<br>4L        | ≤0.025        | ≤1.00        | ≤0.0<br>45   |           | ≤1.<br>00 | 17.5-<br>19.5  | ≤1.00         | -           |
| S403<br>00  | 403         | -          | SUS40<br>3         | ≤0.15         | 5.5-<br>7.5  | ≤0.0<br>4  |           | ≤0.<br>50 | 11.5-<br>13.0  | ≤0.60         | -           |
| 000   | 410         | 06         | SUS41<br>0         | ≤0.15         | ≤1.00        | ≤0.0<br>35   |           | ≤1.<br>00 | 11.5-<br>13.5  | ≤0.60         | ≤1.0<br>0   |
| S420<br>00  | 420         | l.         | SUS42<br>0J1       | ۱ ۵ –         | ≤1.00        | ≤0.0   |           | ≤1.<br>00 | 12.0-<br>14.0  | ≤0.75         | ≤1.0<br>0   |
| S440<br>A   | 440A        | 1.402<br>8 | 0J1<br>SUS44<br>0A | 0.60~0<br>.75 | ≤1.00        | ≤0.0<br>4  |           | ≤1.<br>00 | 16.0-<br>18.0  | -             | ≤0.7<br>5   |
| S327<br>50  | SAD2<br>507 | 1.441<br>0 |                    | ≤0.03         | ≤1.2         | ≤0.0<br>35   |           |           | 24.0-<br>26.0  | 6.0-<br>8.0   | 3.0-<br>5.0 |

| S318<br>03 | SAF2<br>205 | 1.446      | ≤0.03  | ≤2.0 |      |     |     | 1 -   | _     | 2.5-<br>3.5 |
|------------|-------------|------------|--------|------|------|-----|-----|-------|-------|-------------|
| NIOOO      |             | 1.453<br>9 | ≤0.0.3 | ≤2.0 | ≤0.0 | ≤0. | ≤1. | 18.0- | 23.0- | 3.0-<br>4.0 |





Packing & Delivery

#### 1. Who are we?

We are based in wuxi, China, start from 2021,sell to Mid East(35.00%),South America(20.00%),Southeast Asia(20.00%),Africa(5.00%),Eastern Asia(5.00%),Northern Europe(5.00%),Southern Europe(5.00%),South Asia(5.00%). There are total about 51-100 people in our office.

### 2. How can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment;

3. What can you buy from us? steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

4. Why should you buy from us not from other suppliers? Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency:USD,EUR,CNY; Accepted Payment Type: T/T,L/C,Credit Card,Weste



15370898866

523639146@qq.com



e metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City